


# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELE-DIVERTER/D-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Diverter Valve

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Deck Mounted, Wall Mounted

## DECK HOLE DRILL DIAMETER

46mm

## SPARE PARTS

ceramic cartridge ELE-DIVERTER/D-CART

## CONNECTIONS / FITTINGS

2 x 3/4" male inlets 1 x 3/4" male outlet 1 x 3/8" male outlet 1 x 3/4" female to 3/4" male 90° elbow

## FLOW RATE AT 3.0 BAR FLOW PRESSURE

Outlet 1: 27.9 l/min, Outlet 2: 25.5 l/min

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: ELEMENTS  
PRODUCT CODE: ELE-DIVERTER/D-C/P

## STYLE

Round

## FINISH

Chrome

## COLLECTION NAME

Elements

## GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)


WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: ELE-DIVERTER/D-C/P



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE

