



SPECIFICATION SHEET

COLLECTION: GEO
PRODUCT CODE: GEO-101-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

COLLECTION NAME

Geo

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

WITH ECOTURN COLD START TECHNOLOGY

No

NOTES

1/2" ceramic disc 1/4 turn valves

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: GEO

PRODUCT CODE: GEO-101-C/P

WITH WATER FLOW STRAIGHTENER

No

WITH SWIVEL SPOUT

Spout Can Swivel or Be Fixed

WITH WATER FLOW AERATOR

Yes

CONNECTIONS / FITTINGS

2 x 1/2" x 1/2" 600mm flexipipe connections 1/2" male x 1/2" male x 1/2" female T connection

SPARE PARTS

cold ceramic cartridge C-501-RTC hot ceramic cartridge C-501-LTC

DECK HOLE DRILL DIAMETER

33mm

HOLES

3 Hole

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

TECHNICAL DRAWING

COLLECTION: GEO

PRODUCT CODE: GEO-101-C/P

