SPECIFICATION SHEET

COLLECTION: PHOTON
PRODUCT CODE: PHO-100M/SB-C/P

Flow Rates
(for "mixed" measurements)

OUTLET 1

The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE
Basin Mixer

FINISH
Chrome

COLLECTION NAME
Photon

GUARANTEE
15 Year Guarantee

PLUMBING SYSTEM SUITABILITY
Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE
0.5 Bar LP

MAXIMUM OPERATING PRESSURE
5.0 Bar HP

HANDLES
Single Lever

MOUNTING
Deck Mounted

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO

SPECIFICATION SHEET

COLLECTION: PHOTON
PRODUCT CODE: PHO-100M/SB-C/P

RECOMMENDED FLOW REGULATOR
5 l/m flow regulator fitted as standard

WITH ECOTURN COLD START TECHNOLOGY
No

WITH WATER FLOW STRAIGHTENER
No

WITH WATER FLOW AERATOR
Yes

CONNECTIONS / FITTINGS
2 x 1/2˝ 400mm flexipipe connections 2 x 1/2˝ female inlets

DECK HOLE DRILL DIAMETER
35mm

SPARE PARTS
ceramic cartridge C-010-N25

TECHNICAL DRAWING

145

99.5

161

103.5

95

350

1/2"

ø35

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE

VADO