
# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: TAB-148/2-ALT-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE

Shower Valve

**VALVE TYPE** 

Concealed

ORIENTATION

Vertical

NUMBER OF OUTLETS

2 Outlet

WITH ALL-FLOW FUNCTION

Yes

WITH INTEGRATED DIVERTER

No

COMPATIBLE WITH STUDFAST

Yes

WITH BLEED VALVE FOR SYSTEM FLUSH ON

INSTALLATION

No

WITH SHOWER KIT

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: TAB-148/2-ALT-C/P

# INCLUDES MORTAR / TILE GUARD

Yes

## COMPATIBLE WITH EASY-FIX BRACKETS

No

## WITH THERMOSTATIC TECHNOLOGY

Yes

## **INSTALLATION TOLERANCES**

min-max wall mount 75-100mm optimum installation depth 87mm

# **CONNECTIONS / FITTINGS**

2 x 3/4" female inlets 2 x 3/4" female outlets

## SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

# MOUNTING

Wall Mounted

# PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## **COLLECTION NAME**

Tablet Altitude

# **FINISH**

Chrome

# MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS

TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: TAB-148/2-ALT-C/P

# GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com






# TECHNICAL DRAWING

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: TAB-148/2-ALT-C/P



tel: 01934 744466 email: sales@vado.com

www.vado.com



