


SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: ZOO-100M/SB-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

COLLECTION NAME

Zoo

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

FR-FLEXI/5-PLA (2 are required)

MINIMUM OPERATING PRESSURE

0.5 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

FLOW RATE AT 3.0 BAR FLOW PRESSURE

7 l/min

GUARANTEE

15 Year Guarantee

HANDLES

Single Lever

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: ZOO-100M/SB-C/P

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

Yes

CONNECTIONS / FITTINGS

2 x 1/2" 300mm flexipipe connections

SPARE PARTS

ceramic cartridge C-005-N25

DECK HOLE DRILL DIAMETER

35mm

STYLE

Round

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

TECHNICAL DRAWING

COLLECTION: ZOO

PRODUCT CODE: ZOO-100M/SB-C/P

