
SPECIFICATION SHEET

COLLECTION: ZOO PRODUCT CODE: ZOO-110-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bidet Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

CONNECTIONS / FITTINGS

2 x 1/2" 400mm flexipipe connection

MOUNTING Deck Mounted

WASTE With Pop-up Waste

DECK HOLE DRILL DIAMETER

35mm

HANDLES

Single Lever

WITH WATER FLOW AERATOR

Yes

FLOW RATE AT 3.0 BAR FLOW PRESSURE 15 l/min

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ZOO PRODUCT CODE: ZOO-110-C/P

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE 1.0 Bar MP

RECOMMENDED FLOW REGULATOR FR-100/5-PLA

SPARE PARTS ceramic cartridge C-003-N40

STYLE Round

FINISH

Chrome

COLLECTION NAME Zoo

GUARANTEE 15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: ZOO PRODUCT CODE: ZOO-110-C/P



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

