
SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-142/PR-3/4-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Stop Valve

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MOUNTING

Deck Mounted, Wall Mounted

HOLES

2 Hole

STYLE

Round

DECK HOLE DRILL DIAMETER

33mm

SPARE PARTS

cold ceramic cartridge C-303-RTC hot ceramic cartridge C-303-LTC $\,$

CONNECTIONS / FITTINGS

3/4" x 10mm thread length male inlet 3/4" x 10mm thread length male outlet 10mm thread length

INSTALLATION TOLERANCES

maximum bath thickness 25mm

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-142/PR-3/4-C/P

COLLECTION NAME

Zoo

FINISH

Chrome

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

FLOW RATE AT 3.0 BAR FLOW PRESSURE

41 l/min

GUARANTEE


15 Year Guarantee



TECHNICAL DRAWING

COLLECTION: ZOO

PRODUCT CODE: Z00-142/PR-3/4-C/P



tel: 01934 744466 email: sales@vado.com

www.vado.com



