
SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-131T+K-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

Yes

WITH THERMOSTATIC TECHNOLOGY

Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-131T+K-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

Nο

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

2x 3/4" 50mm threaded connection on legs

DECK HOLE DRILL DIAMETER

2 x 28mm

SPARE PARTS

Thermostatic cartridge V-701-34S. Diverter cartridge C-801-33/2P

STYLE

Oval

FINISH

Chrome



www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE

PRODUCT CODE: LIF-131T+K-CP

COLLECTION NAME

Life

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





TECHNICAL DRAWING

COLLECTION: LIFE

PRODUCT CODE: LIF-131T+K-CP

