SPECIFICATION SHEET

COLLECTION: TABLET NOTION PRODUCT CODE: IND-T148/2-NOT-BRG



Flow Rates (for "mixed" measurements) 45.0 40.0 40.0 35.0 25.0 20.0 SPOUT 15.0 10.0 5.0 0.0 0.2 0.5 1.0 1.5 2.0 3.0 4.0 5.0 Pressure (bars)

SHOWER TYPE Shower Valve VALVE TYPE

Concealed

ORIENTATION Vertical

NUMBER OF OUTLETS 1 Outlet

WITH ALL-FLOW FUNCTION Yes

WITH INTEGRATED DIVERTER No COMPATIBLE WITH STUDFAST

Yes

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

WITH SHOWER KIT

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: TABLET NOTION PRODUCT CODE: IND-T148/2-NOT-BRG

INCLUDES MORTAR / TILE GUARD

Yes

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

Yes

INSTALLATION TOLERANCES

min-max wall mount 75-100mm optimum installation depth 87mm

CONNECTIONS / FITTINGS

2 x 3/4" female inlets 2 x 3/4" female outlets includes 3/4" - 1/2" adaptors

SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Tablet Notion

FINISH

Brushed Gold

MINIMUM OPERATING PRESSURE 0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

GUARANTEE 15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: TABLET NOTION PRODUCT CODE: IND-T148/2-NOT-BRG



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

