


# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, SIRKEL  
PRODUCT CODE: AX-SIR-149T-RRK/B-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## SHOWER TYPE

Shower Column

## VALVE TYPE

Exposed

## WITH AIR-INJECTION TECHNOLOGY

No

## WITH EASY-FIT BRACKETS

Yes

## WITH CROSS-SPRAY TECHNOLOGY

No

## WITH INTEGRATED DIVERTER

Yes

## ADJUSTABLE FIXING FOR EASY RETRO FIT

Yes

## WITH THERMOSTATIC TECHNOLOGY

Yes

## WITH SHOWER KIT

Yes

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, SIRKEL  
PRODUCT CODE: AX-SIR-149T-RRK/B-CP

## WITH WATER FLOW STRAIGHTENER

No

## INSTALLATION TOLERANCES

470mm height adjustment tolerance min 800mm - max 1270mm

## HANDLES

2 Handle

## SPARE PARTS

Thermostatic Cartridge S-701-31S Diverter Cartridge SG-801-25/2SX

## MOUNTING

Wall Mounted

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Showering Solutions, Sirkel

## FINISH

Chrome

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## MAXIMUM OPERATING PRESSURE


5.0 Bar HP

## GUARANTEE

10 Year Guarantee

# TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS, SIRKEL  
PRODUCT CODE: AX-SIR-149T-RRK/B-CP



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE

