


# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, BOKX  
PRODUCT CODE: AX-BOK-149T-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## VALVE TYPE

Exposed

## HANDLES

2 Handle

## WITH ALL-FLOW FUNCTION

No

## WITH INTEGRATED DIVERTER

No

## COMPATIBLE WITH STUDFAST

No

## WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

## WITH SHOWER KIT

No

## INCLUDES MORTAR / TILE GUARD

No

## COMPATIBLE WITH EASY-FIX BRACKETS

Yes

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS, BOKX  
PRODUCT CODE: AX-BOK-149T-CP

## WITH THERMOSTATIC TECHNOLOGY

Yes

## CONNECTIONS / FITTINGS

1/2" x 3/4" x 50mm eccentrics

## SPARE PARTS

Thermostatic Cartridge S-701-31S Flow Cartridge H-202-RTC

## MOUNTING

Wall Mounted

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Showering Solutions, Bokx

## FINISH

Chrome

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## GUARANTEE

10 Year Guarantee

# TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS, BOKX  
PRODUCT CODE: AX-BOK-149T-CP

