
SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-137-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH WATER FLOW STRAIGHTENER

Yes

CONNECTIONS / FITTINGS

2 x 3/4" 45mm male threaded connections

DECK HOLE DRILL DIAMETER

27mm

MINIMUM OPERATING PRESSURE 1.0 Bar MP

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-137-CP

SPARE PARTS

cold ceramic cartridge FL-511-RTC hot ceramic cartridge FL-511-LTC

STYLE

Traditional, Cross Handles

FINISH

Chrome

COLLECTION NAME

Axbridge

GUARANTEE

15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-137-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

