
# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-137-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Bath Filler

#### WITH WATER FLOW STRAIGHTENER

Yes

# CONNECTIONS / FITTINGS

2 x 3/4" 45mm male threaded connections

## SPARE PARTS

cold ceramic cartridge FL-511-RTC hot ceramic cartridge FL-511-LTC

# DECK HOLE DRILL DIAMETER

27mm

#### STYLE

Traditional, Cross Handles

# HOLES

2 Hole

# MOUNTING

Deck Mounted

# PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-137-CP

# **COLLECTION NAME**

Axbridge

**FINISH** 

Chrome

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

GUARANTEE

15 Year Guarantee







# TECHNICAL DRAWING

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-137-CP

