
SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-101-BN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH Bright Nickel

COLLECTION NAME Axbridge

GUARANTEE 15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HOLES

3 Hole

MOUNTING Deck Mounted

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-101-BN

WASTE

With Pop-up Waste

RECOMMENDED FLOW REGULATOR

FR-FLEXI/5-PLA (2 are required)

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

4 x 1/2" 400mm flexipipe connections

DECK HOLE DRILL DIAMETER 32mm

SPARE PARTS cold ceramic cartridge FL-501-RTC hot ceramic cartridge FL-501-LTC

STYLE

Traditional, Cross Handles


tel: 01934 744466 email: sales@vado.com www.vado.com


WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-101-BN





tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

