
SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-233-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HOLES

2 Hole

MOUNTING

Floor Mounted

WITH SHOWER KIT

WITH EASY-FIT BRACKETS

Yes

No

WITH THERMOSTATIC TECHNOLOGY No FOR USE WITH BATH FILLER WASTE AND OVERFLOW No

WITH INTEGRATED DIVERTER

No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-233-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS 2 x 3/4" female threaded connections

SPARE PARTS cold ceramic cartridge FL-511-RTC hot ceramic cartridge FL-511-LTC

STYLE Traditional, Lever Handles

FINISH Chrome

COLLECTION NAME Axbridge


GUARANTEE 15 Year Guarantee

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-233-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

