
# SPECIFICATION SHEET

## COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-200-BN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Basin Mixer

FINISH Bright Nickel

COLLECTION NAME Axbridge

GUARANTEE 15 Year Guarantee

#### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.2 Bar LP

#### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

#### MOUNTING

Deck Mounted

WASTE With Pop-up Waste

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

# COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-200-BN

RECOMMENDED FLOW REGULATOR

FR-FLEXI/5-PLA (2 are required)

## WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

### WITH WATER FLOW AERATOR

No

## CONNECTIONS / FITTINGS

2 x 1/2" 400mm flexipipe connections

## DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS cold ceramic cartridge FL-501-RTC hot ceramic cartridge FL-501-LTC


STYLE Traditional, Lever Handles


WHERE INSPIRATION FLOWS TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

## COLLECTION: AXBRIDGE PRODUCT CODE: BC-AXB-200-BN





tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

