
# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-237-BN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

# TAP TYPE

Bath Filler

# PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

# HOLES

2 Hole

# MOUNTING

Deck Mounted

# WITH WATER FLOW STRAIGHTENER

Yes

# **CONNECTIONS / FITTINGS**

2 x 3/4" 45mm male threaded connections

# DECK HOLE DRILL DIAMETER

27mm

# MINIMUM OPERATING PRESSURE

1.0 Bar MP

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com www.vado.com



# SPECIFICATION SHEET

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-237-BN

# SPARE PARTS

cold ceramic cartridge FL-511-RTC hot ceramic cartridge FL-511-LTC

# STYLE

Traditional, Lever Handles

# FINISH

Bright Nickel

# **COLLECTION NAME**

Axbridge

# GUARANTEE

15 Year Guarantee







# TECHNICAL DRAWING

COLLECTION: AXBRIDGE

PRODUCT CODE: BC-AXB-237-BN

