


# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELW-135-3/4-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## WITH SWIVEL SPOUT

with Fixed Spout

## WITH SHOWER KIT

Yes

## WITH EASY-FIT BRACKETS

No

## WITH INTEGRATED DIVERTER

No

## WITH THERMOSTATIC TECHNOLOGY

No

## FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

## WITH BATH SPOUT

Yes

## WITH AIR-INJECTION TECHNOLOGY

No

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: ELEMENTS  
PRODUCT CODE: ELW-135-3/4-C/P

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH WATER FLOW AERATOR

Yes

## CONNECTIONS / FITTINGS

3 x 3/4" x 3/4" 600mm flexipipe connections

## SPARE PARTS

cold ceramic cartridge C-303-RTC hot ceramic cartridge C-303-LTC

## DECK HOLE DRILL DIAMETER

Valve: 33mm Spout: 28mm Diverter: 46mm Handset: 27mm

## HOLES

5 Hole

## MOUNTING

Deck Mounted

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Elements

## FINISH

Chrome

## RECOMMENDED FLOW REGULATOR

FR-FLEXI/8-PLA

## MINIMUM OPERATING PRESSURE

1.0 Bar MP

# SPECIFICATION SHEET

COLLECTION: ELEMENTS  
PRODUCT CODE: ELW-135-3/4-C/P

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)


WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: ELW-135-3/4-C/P



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES

