
SPECIFICATION SHEET

COLLECTION: ZONE PRODUCT CODE: ZON-128/2-H-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE

Shower Valve

VALVE TYPE Concealed

STYLE Round

ORIENTATION Horizontal

NUMBER OF OUTLETS 2 Outlet WITH ALL-FLOW FUNCTION Yes WITH INTEGRATED DIVERTER No COMPATIBLE WITH STUDFAST No WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ZONE PRODUCT CODE: ZON-128/2-H-CP

WITH SHOWER KIT

No

INCLUDES MORTAR / TILE GUARD

Yes

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

Yes

MIN-MAX WALL MOUNT

80-117mm

CONNECTIONS / FITTINGS

2 x 1/2" female inlets, 2 x 1/2" female outlets, 2 x 1/2" capped-off female outlets*

SPARE PARTS

thermostatic cartridge V-701-32S, 2 x flow-stop-go cartridge N-1001-F26

NOTES

*to operate the additional outlet(s) further purchase of ZON-143 is required

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY Combination Boiler

COLLECTION NAME

Zone

FINISH Chrome

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ZONE PRODUCT CODE: ZON-128/2-H-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS




TECHNICAL DRAWING

COLLECTION: ZONE PRODUCT CODE: ZON-128/2-H-CP

160

230



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | FURNITURE

1/2"

