
SPECIFICATION SHEET

COLLECTION: LIFE PRODUCT CODE: LIF-100M/SB-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

FINISH Chrome

COLLECTION NAME

GUARANTEE 15 Year Guarantee

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MINIMUM OPERATING PRESSURE

0.5 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

Single Lever

MOUNTING Deck Mounted

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: LIFE PRODUCT CODE: LIF-100M/SB-C/P

RECOMMENDED FLOW REGULATOR

FR-100/5-B-PLA

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

Yes

CONNECTIONS / FITTINGS

2 x 1/2" 400mm flexipipe connections

DECK HOLE DRILL DIAMETER

35mm

SPARE PARTS ceramic cartridge LIF-100M-CAR

STYLE Oval


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: LIFE PRODUCT CODE: LIF-100M/SB-C/P



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

