
# SPECIFICATION SHEET

### COLLECTION: LIFE PRODUCT CODE: LIF-131T+K-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Bath Shower Mixer

#### PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

#### HOLES

2 Hole

### MOUNTING

Deck Mounted

#### WITH INTEGRATED DIVERTER

No

#### WITH EASY-FIT BRACKETS

No WITH SHOWER KIT Yes WITH THERMOSTATIC TECHNOLOGY Yes FOR USE WITH BATH FILLER WASTE AND OVERFLOW No

tel: 01934 744466 email: sales@vado.com www.vado.com



# SPECIFICATION SHEET

## COLLECTION: LIFE PRODUCT CODE: LIF-131T+K-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

RECOMMENDED FLOW REGULATOR FR-SHOWER/9-C/P

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

CONNECTIONS / FITTINGS

2x 3/4" 50mm threaded connection on legs

DECK HOLE DRILL DIAMETER 2 x 28mm

SPARE PARTS Thermostatic cartridge V-701-34S. Diverter cartridge C-801-33/2P

STYLE

Oval

FINISH Chrome

tel: 01934 744466 email: sales@vado.com www.vado.com



## SPECIFICATION SHEET

## COLLECTION: LIFE PRODUCT CODE: LIF-131T+K-CP

COLLECTION NAME

Life

GUARANTEE


15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com



## TECHNICAL DRAWING

### COLLECTION: LIFE PRODUCT CODE: LIF-131T+K-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

