
# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-130+K-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

# TAP TYPE

Bath Shower Mixer

WITH SHOWER KIT

Yes

WITH EASY-FIT BRACKETS

Νo

WITH INTEGRATED DIVERTER

No

WITH THERMOSTATIC TECHNOLOGY

No

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-130+K-C/P

# WITH WATER FLOW AERATOR

Νo

# **CONNECTIONS / FITTINGS**

2x 3/4" 50mm male threaded connections

#### SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

# DECK HOLE DRILL DIAMETER

28mm

# STYLE

Round

# HOLES

2 Hole

# MOUNTING

Deck Mounted

# PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

# **COLLECTION NAME**

Zoo

# **FINISH**

Chrome

# RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

# MINIMUM OPERATING PRESSURE

0.2 Bar LP

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-130+K-C/P

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

# FLOW RATE AT 3.0 BAR FLOW PRESSURE

Bath: 43 l/min, Shower: 31 l/min

# GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





# TECHNICAL DRAWING

COLLECTION: ZOO

PRODUCT CODE: Z00-130+K-C/P

