
# SPECIFICATION SHEET

### COLLECTION: CAMEO PRODUCT CODE: CAM-100M/SB-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Basin Mixer

FINISH Chrome

COLLECTION NAME Cameo

GUARANTEE 15 Year Guarantee

PLUMBING SYSTEM SUITABILITY Combination Boiler MINIMUM OPERATING PRESSURE 1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

HANDLES

Single Lever

HOLES 1 Hole

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: CAMEO PRODUCT CODE: CAM-100M/SB-CP

MOUNTING

Deck Mounted

WASTE None (Smooth Bodied)

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

WITH ECOTURN COLD START TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR

CONNECTIONS / FITTINGS 2 x 1/2" 450mm flexipipe connection

DECK HOLE DRILL DIAMETER 35mm

SPARE PARTS ceramic cartridge C-002-N25

STYLE Square


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# TECHNICAL DRAWING

#### COLLECTION: CAMEO PRODUCT CODE: CAM-100M/SB-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

