
SPECIFICATION SHEET

COLLECTION: CAMEO PRODUCT CODE: CAM-247A-MB





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE Shower Valve

VALVE TYPE

Concealed

STYLE Square

ORIENTATION Vertical

NUMBER OF OUTLETS 2 Outlet HANDLES

Single Lever

WITH ALL-FLOW FUNCTION No WITH INTEGRATED DIVERTER No COMPATIBLE WITH STUDFAST No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: CAMEO PRODUCT CODE: CAM-247A-MB

WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

WITH SHOWER KIT

No

INCLUDES MORTAR / TILE GUARD

No

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

No

MIN-MAX WALL MOUNT 50-75mm

CONNECTIONS / FITTINGS 2 x 1/2" female inlets, 2 x 1/2" female outlets

SPARE PARTS ceramic cartridge C-006-N35

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY Gravity System, Combination Boiler

COLLECTION NAME Cameo

FINISH Matt Black

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: CAMEO PRODUCT CODE: CAM-247A-MB

MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

GUARANTEE

10 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: CAMEO PRODUCT CODE: CAM-247A-MB



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

