
## SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-247A-SBR





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### SHOWER TYPE

Shower Valve

### **VALVE TYPE**

Concealed

### STYLE

Square

### ORIENTATION

Vertical

### NUMBER OF OUTLETS

2 Outlet

### **HANDLES**

Single Lever

### WITH ALL-FLOW FUNCTION

No

### WITH INTEGRATED DIVERTER

Νo

### COMPATIBLE WITH STUDFAST

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



### SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-247A-SBR

### WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

WITH SHOWER KIT

No

INCLUDES MORTAR / TILE GUARD

Νo

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY

No

MIN-MAX WALL MOUNT

50-75mm

CONNECTIONS / FITTINGS

2 x 1/2" female inlets, 2 x 1/2" female outlets

SPARE PARTS

ceramic cartridge C-006-N35

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

**COLLECTION NAME** 

Cameo

FINISH

Satin Brass



tel: 01934 744466 email: sales@vado.com www.vado.com

# SPECIFICATION SHEET

COLLECTION: CAMEO

PRODUCT CODE: CAM-247A-SBR

### MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

### GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





### TECHNICAL DRAWING

COLLECTION: CAMEO

PRODUCT CODE: CAM-247A-SBR

