
# SPECIFICATION SHEET

### COLLECTION: BAHR PRODUCT CODE: CUC-1008-S/S





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Kitchen Tap

#### PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Bahr

DECK HOLE DRILL DIAMETER 36mm

SPARE PARTS ceramic cartridge C-008-A35

### HANDLES

Single Lever

WITH WATER FLOW AERATOR No WITH SWIVEL SPOUT 1 WITH WATER FLOW STRAIGHTENER No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: BAHR PRODUCT CODE: CUC-1008-S/S

MOUNTING Deck Mounted

MINIMUM OPERATING PRESSURE 1.0 Bar MP

MAXIMUM OPERATING PRESSURE 5.0 Bar HP


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# TECHNICAL DRAWING

### COLLECTION: BAHR PRODUCT CODE: CUC-1008-S/S



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

