


# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELE-DIVERTER/D-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Diverter Valve

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Deck Mounted, Wall Mounted

## STYLE

Round

## DECK HOLE DRILL DIAMETER

46mm

## SPARE PARTS

ceramic cartridge ELE-DIVERTER/D-CART

## CONNECTIONS / FITTINGS

2 x 3/4" male inlets 1 x 3/4" male outlet 1 x 3/8" male outlet 1 x 3/4" female to 3/4" male 90° elbow

## COLLECTION NAME

Elements

## FINISH

Chrome

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: ELEMENTS

PRODUCT CODE: ELE-DIVERTER/D-C/P

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

FLOW RATE AT 3.0 BAR FLOW PRESSURE

Outlet 1: 27.9 l/min, Outlet 2: 25.5 l/min

GUARANTEE


15 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: ELEMENTS

PRODUCT CODE: ELE-DIVERTER/D-C/P



tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES

