SPECIFICATION SHEET

COLLECTION: EDIT PRODUCT CODE: EDI-145A-C/P



SHOWER TYPE Shower Valve

VALVE TYPE Concealed

HANDLES Single Lever

WITH ALL-FLOW FUNCTION No

WITH INTEGRATED DIVERTER No

COMPATIBLE WITH STUDFAST No WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION No WITH SHOWER KIT No INCLUDES MORTAR / TILE GUARD No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: EDIT PRODUCT CODE: EDI-145A-C/P

COMPATIBLE WITH EASY-FIX BRACKETS

No

WITH THERMOSTATIC TECHNOLOGY No

INSTALLATION TOLERANCES min-max wall mount 40-65mm

CONNECTIONS / FITTINGS 2 x 1/2" female inlets 2 x 1/2" female outlets (one is blanked off)

SPARE PARTS ceramic cartridge CAR-K35A

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Edit

FINISH

Chrome

MINIMUM OPERATING PRESSURE 0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

MAXIMUM OPERATING PRESSURE 5.0 Bar HP


GUARANTEE 15 Year Guarantee

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: EDIT PRODUCT CODE: EDI-145A-C/P



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

