
# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-144/2-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Diverter Valve

### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

#### MOUNTING

Deck Mounted, Wall Mounted

### STYLE

Round

# SPARE PARTS

concealed stop valve 3/4" ceramic cartridge Z00-144/2-CARTRIDGE

# CONNECTIONS / FITTINGS

2 x 1/2" inlets 2 x 1/2" outlets

### **INSTALLATION TOLERANCES**

min-max wall mount 75-85mm

# **COLLECTION NAME**

Zoo

# **FINISH**

Chrome

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: ZOO

PRODUCT CODE: Z00-144/2-C/P

# MINIMUM OPERATING PRESSURE

0.2 Bar LP

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

### FLOW RATE AT 3.0 BAR FLOW PRESSURE

Outlet 1: 31 l/min, Outlet 2: 35 l/min

### GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com





# TECHNICAL DRAWING

COLLECTION: ZOO

PRODUCT CODE: Z00-144/2-C/P

