
# SPECIFICATION SHEET

COLLECTION: GEO

PRODUCT CODE: GEO-143-3/4-C/P





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Stop Valve

### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

### MOUNTING

Deck Mounted, Wall Mounted

### SPARE PARTS

ceramic cartridge GEO-143-VALVE/CD-3/4

## HANDLES

1 Handle

# CONNECTIONS / FITTINGS

1 x 3/4" female inlet 1 x 3/4" female outlet

### **INSTALLATION TOLERANCES**

min-max wall mount 105-115mm

## VALVE TYPE

Concealed

# COLLECTION NAME

Geo

tel: 01934 744466 email: sales@vado.com

www.vado.com





# SPECIFICATION SHEET

COLLECTION: GEO

PRODUCT CODE: GEO-143-3/4-C/P

### **FINISH**

Chrome

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com






# TECHNICAL DRAWING

COLLECTION: GEO

PRODUCT CODE: GEO-143-3/4-C/P





www.vado.com



