


# SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-WMHEAD-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Wall Mounted

## INSTALLATION TOLERANCES

min-max wall mount 50-65mm optimum installation depth 57mm

## WITH AIR-INJECTION TECHNOLOGY

No

## FUNCTIONS

2

## RUB-CLEAN NOZZLES

Yes

## SELF-CLEANING

No

## COLLECTION NAME

Omika

## FINISH

Chrome

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: OMIKA

PRODUCT CODE: OMI-WMHEAD-C/P

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: OMIKA

PRODUCT CODE: OMI-WMHEAD-C/P

