


SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-232T-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

WITH SWIVEL SPOUT

with Fixed Spout

WITH SHOWER KIT

Yes

WITH EASY-FIT BRACKETS

No

WITH INTEGRATED DIVERTER

No

WITH THERMOSTATIC TECHNOLOGY

Yes

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

WITH BATH SPOUT

Yes

WITH AIR-INJECTION TECHNOLOGY

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-232T-CP

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

min-max bath thickness 1-18mm

CONNECTIONS / FITTINGS

1/2" 700mm flexipipe with right angle connection 2 x 400 1/2" female flexipipe connectors to valve

SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-801-33/2SX

DECK HOLE DRILL DIAMETER

Valve: 48mm Diverter: 48mm Spout and Handset: 30mm

STYLE

Round, Traditional, Contemporary, Cross Handles

HOLES

4 Hole

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Pumped System, Pressurised System

COLLECTION NAME

Arrondi

FINISH

Chrome

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ARRONDI
PRODUCT CODE: ARR-232T-CP

RECOMMENDED FLOW REGULATOR

FR-SHOWER/9-C/P

MINIMUM OPERATING PRESSURE

3.0 Bar HP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee


tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



TECHNICAL DRAWING

COLLECTION: ARRONDI
PRODUCT CODE: ARR-232T-CP



tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES

