


# SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI  
PRODUCT CODE: TAB-223T/WO-ARR-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## WITH SHOWER KIT

Yes

## WITH EASY-FIT BRACKETS

No

## WITH INTEGRATED DIVERTER

No

## WITH THERMOSTATIC TECHNOLOGY

Yes

## FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

## WITH BATH SPOUT

No

## WITH AIR-INJECTION TECHNOLOGY

No

## NOTES

supplied with mortar/tile guard

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI  
PRODUCT CODE: TAB-223T/WO-ARR-CP

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH WATER FLOW AERATOR

No

## INSTALLATION TOLERANCES

min-max wall mount 79.5-101.5mm

## CONNECTIONS / FITTINGS

2 x 3/4" female inlets includes 3/4" - 1/2" adaptors

## SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-801-33/2SX

## STYLE

Round, Traditional, Contemporary, Cross Handles

## HOLES

4 Hole

## MOUNTING

Wall Mounted

## PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Tablet Arrondi

## FINISH

Chrome

## RECOMMENDED FLOW REGULATOR

FR-FLEXI/9-PLA

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: TABLET ARRONDI  
PRODUCT CODE: TAB-223T/WO-ARR-CP

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: TABLET ARRONDI

PRODUCT CODE: TAB-223T/WO-ARR-CP

