
# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI109S/A-BRN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

### TAP TYPE

Basin Mixer

### **COLLECTION NAME**

Edit

# **FINISH**

Brushed Nickel

### RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard

### MINIMUM OPERATING PRESSURE

1.0 Bar MP

### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

# GUARANTEE

15 Year Guarantee

### HANDLES

Single Lever

# WITH ECOTURN COLD START TECHNOLOGY

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI109S/A-BRN

### WITH WATER FLOW STRAIGHTENER

No

### WITH WATER FLOW AERATOR

No

### **INSTALLATION TOLERANCES**

min-max wall mount 52-72mm

### **CONNECTIONS / FITTINGS**

2 x 1/2" inlets

### SPARE PARTS

ceramic cartridge CAR-K35B

### HOLES

2 Hole

# MOUNTING

Wall Mounted

# PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

tel: 01934 744466 email: sales@vado.com www.vado.com






# TECHNICAL DRAWING

COLLECTION: EDIT

PRODUCT CODE: IND-EDI109S/A-BRN





www.vado.com



