
# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRG





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

# TAP TYPE

Bath Filler

# PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

# HOLES

2 Hole

# MOUNTING

Deck Mounted

# WITH WATER FLOW STRAIGHTENER

No

# **CONNECTIONS / FITTINGS**

2 x 3/4" 48mm threaded inlet connections

# DECK HOLE DRILL DIAMETER

2 x 28-30mm

# MINIMUM OPERATING PRESSURE

0.2 Bar LP

# MAXIMUM OPERATING PRESSURE

5.0 Bar HP

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



# SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRG

# SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

# **FINISH**

Brushed Gold

# **COLLECTION NAME**

Edit

# GUARANTEE

15 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com







# TECHNICAL DRAWING

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRG





tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS

