


SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH WATER FLOW STRAIGHTENER

No

CONNECTIONS / FITTINGS

2 x 3/4" 48mm threaded inlet connections

DECK HOLE DRILL DIAMETER

2 x 28-30mm

MINIMUM OPERATING PRESSURE

0.2 Bar LP

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

SPARE PARTS

cold ceramic cartridge C-302-RTC hot ceramic cartridge C-302-LTC

STYLE

Round, Square

FINISH

Brushed Nickel

COLLECTION NAME

Edit

GUARANTEE

15 Year Guarantee



TECHNICAL DRAWING

COLLECTION: EDIT

PRODUCT CODE: IND-EDI137-BRN

