



SPECIFICATION SHEET

COLLECTION: GEO
PRODUCT CODE: GEO-109-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Basin Mixer

COLLECTION NAME

Geo

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

FR-106/5-PLA

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

WITH ECOTURN COLD START TECHNOLOGY

No

NOTES

two part cartridges ensure perfect alignment of handle and shroud

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: GEO

PRODUCT CODE: GEO-109-C/P

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

INSTALLATION TOLERANCES

min-max wall mount 59-68mm

CONNECTIONS / FITTINGS

2 x 1/2" male x 1/2" male x 90mm straight connections and 1 x 1/2" x 1/2" x 1/2" x 47mm female connection (T-piece)

SPARE PARTS

cold ceramic cartridge C-503-LTC hot ceramic cartridge C-503-RTC

HOLES

3 Hole

MOUNTING

Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

TECHNICAL DRAWING

COLLECTION: GEO

PRODUCT CODE: GEO-109-C/P

