



# SPECIFICATION SHEET

COLLECTION: GEO  
PRODUCT CODE: GEO-109-C/P



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Basin Mixer

## FINISH

Chrome

## COLLECTION NAME

Geo

## GUARANTEE

15 Year Guarantee

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## HOLES

3 Hole

## MOUNTING

Wall Mounted

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: GEO

PRODUCT CODE: GEO-109-C/P

## INSTALLATION TOLERANCES

min-max wall mount 59-68mm

## RECOMMENDED FLOW REGULATOR

FR-106/5-PLA

## WITH ECOTURN COLD START TECHNOLOGY

No

## WITH WATER FLOW STRAIGHTENER

Yes

## WITH WATER FLOW AERATOR

No

## CONNECTIONS / FITTINGS

2 x 1/2" male x 1/2" male x 90mm straight connections and 1 x 1/2" x 1/2" x 1/2" x 47mm female connection (T-piece)

## SPARE PARTS

cold ceramic cartridge C-503-LTC hot ceramic cartridge C-503-RTC

## NOTES

two part cartridges ensure perfect alignment of handle and shroud



# TECHNICAL DRAWING

COLLECTION: GEO

PRODUCT CODE: GEO-109-C/P

