
SPECIFICATION SHEET

COLLECTION: NOTION PRODUCT CODE: IND-NOT147A-BRG





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

SHOWER TYPE

Shower Valve

VALVE TYPE Concealed

NUMBER OF OUTLETS 1 Outlet

HANDLES Single Lever

WITH ALL-FLOW FUNCTION No

WITH INTEGRATED DIVERTER

Yes COMPATIBLE WITH STUDFAST No WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION No WITH SHOWER KIT No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: NOTION PRODUCT CODE: IND-NOT147A-BRG

INCLUDES MORTAR / TILE GUARD

No

COMPATIBLE WITH EASY-FIX BRACKETS No

WITH THERMOSTATIC TECHNOLOGY No

INSTALLATION TOLERANCES min-max wall mount 50-70mm

CONNECTIONS / FITTINGS 2 x 1/2" female inlets 2 x 1/2" female outlets

SPARE PARTS ceramic cartridge CAR-K35A

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Notion

FINISH Brushed Gold

MINIMUM OPERATING PRESSURE 0.2 Bar LP (Shower) / 1.5 Bar MP (Bath)

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: NOTION PRODUCT CODE: IND-NOT147A-BRG

GUARANTEE 15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | FURNITURE



TECHNICAL DRAWING

COLLECTION: NOTION PRODUCT CODE: IND-NOT147A-BRG



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

