
SPECIFICATION SHEET

COLLECTION: OMIKA NOIR PRODUCT CODE: IND-OMI/SFMKWO/A-PB





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

PLUMBING SYSTEM SUITABILITY

Pumped System, Combination Boiler, Pressurised System

MOUNTING

Wall Mounted

CONNECTIONS / FITTINGS 1/2" inlet

INSTALLATION TOLERANCES min-max wall mount 0-11mm

HOSE with 150cm hose

FUNCTIONS

1

RUB-CLEAN NOZZLES No

WITH OUTLET / BRACKET with Integrated Outlet and Bracket

COLLECTION NAME Omika Noir

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: OMIKA NOIR PRODUCT CODE: IND-OMI/SFMKWO/A-PB

FINISH Polished Black

MINIMUM OPERATING PRESSURE 1.0 Bar MP

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

GUARANTEE 15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: OMIKA NOIR PRODUCT CODE: IND-OMI/SFMKWO/A-PB



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

