
SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFMKWO/RO-BRN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MOUNTING

Wall Mounted

CONNECTIONS / FITTINGS

1/2" inlet

HOSE

with 150cm hose

FUNCTIONS

1

RUB-CLEAN NOZZLES

Yes

WITH OUTLET / BRACKET

with Integrated Outlet and Bracket

COLLECTION NAME

Showering Solutions

FINISH

Brushed Nickel

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFMKWO/RO-BRN

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com





TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFMKWO/RO-BRN



tel: 01934 744466 email: sales@vado.com

www.vado.com



