
SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

| SHOWER TYPE | WITH TWIST CONTROL |
|--|--------------------------|
| Slide Rail Shower Kit | No |
| SELF-CLEANING | WITH PUSH BUTTON CONTROL |
| No | No |
| SLIDE RAIL LENGTH | WITH HOSE RETAINER |
| 805mm slide rail with twist control 900mm overall rail | No |
| length | RUB-CLEAN NOZZLES |
| WITH CROSS-SPRAY TECHNOLOGY | Yes |
| No | |

ADJUSTABLE FIXING FOR EASY RETRO FIT

No

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN

FUNCTIONS

1

WITH AIR-INJECTION TECHNOLOGY

Yes

HOSE with 150cm smooth hose

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Showering Solutions

FINISH Brushed Nickel

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS PRODUCT CODE: IND-SFSRK/RO-ATM-BRN



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

