
SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-137-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

HANDLES

2 Handle

WITH WATER FLOW STRAIGHTENER

No

INSTALLATION TOLERANCES

min-max deck mount 28-40mm

CONNECTIONS / FITTINGS

2 x 3/4" male threaded conncections

SPARE PARTS

Cold Ceramic cartridge C-302-RTC Hot Ceramic cartridge C-302-LTC

DECK HOLE DRILL DIAMETER

2 x 28-40mm

HOLES

2 Hole

MOUNTING

Deck Mounted

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-137-CP

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Rowe

FINISH

Chrome

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE

0.2 Bar LP

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com







TECHNICAL DRAWING

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-137-CP





tel: 01934 744466 email: sales@vado.com

www.vado.com



