


# SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-137-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Filler

## HANDLES

2 Handle

## WITH WATER FLOW STRAIGHTENER

No

## INSTALLATION TOLERANCES

min-max deck mount 28-40mm

## CONNECTIONS / FITTINGS

2 x 3/4" male threaded connections

## SPARE PARTS

Cold Ceramic cartridge C-302-RTC Hot Ceramic cartridge C-302-LTC

## DECK HOLE DRILL DIAMETER

2 x 28-40mm

## HOLES

2 Hole

## MOUNTING

Deck Mounted

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | ACCESSORIES



# SPECIFICATION SHEET

COLLECTION: ROWE  
PRODUCT CODE: AX-ROW-137-CP

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Rowe

## FINISH

Chrome

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

## GUARANTEE

10 Year Guarantee



# TECHNICAL DRAWING

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-137-CP

