


SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-130+K-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

WITH SHOWER KIT

Yes

WITH BATH SPOUT

No

WITH EASY-FIT BRACKETS

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH INTEGRATED DIVERTER

No

WITH WATER FLOW STRAIGHTENER

No

WITH THERMOSTATIC TECHNOLOGY

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-130+K-CP

WITH WATER FLOW AERATOR

Yes

INSTALLATION TOLERANCES

min-max deck mount 28-40mm

CONNECTIONS / FITTINGS

2 x 3/4" male threaded connections

HANDLES

2 Handle

SPARE PARTS

Cold Ceramic cartridge C-302-RTC Hot Ceramic cartridge C-302-LTC

DECK HOLE DRILL DIAMETER

2 x 28-40mm

HOLES

2 Hole

MOUNTING

Deck Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Rowe

FINISH

Chrome

MINIMUM OPERATING PRESSURE

0.2 Bar LP

SPECIFICATION SHEET

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-130+K-CP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

10 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



TECHNICAL DRAWING

COLLECTION: ROWE

PRODUCT CODE: AX-ROW-130+K-CP

