


SPECIFICATION SHEET

COLLECTION: EKKO

PRODUCT CODE: AX-EKO-137-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

HANDLES

2 Handle

WITH WATER FLOW STRAIGHTENER

Yes

INSTALLATION TOLERANCES

min-max deck mount 28-30mm

CONNECTIONS / FITTINGS

2 x 3/4" male threaded connections

SPARE PARTS

Cold Ceramic cartridge H-302-RTC Hot Ceramic cartridge H-302-LTC

DECK HOLE DRILL DIAMETER

2 x 28-30mm

HOLES

2 Hole

MOUNTING

Deck Mounted

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: EKKO
PRODUCT CODE: AX-EKO-137-CP

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

COLLECTION NAME

Ekko

FINISH

Chrome

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

MINIMUM OPERATING PRESSURE

0.2 Bar LP

GUARANTEE

10 Year Guarantee



TECHNICAL DRAWING

COLLECTION: EKKO
PRODUCT CODE: AX-EKO-137-CP

