
SPECIFICATION SHEET

COLLECTION: VALA PRODUCT CODE: AX-VAL-110-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bidet Mixer

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

CONNECTIONS / FITTINGS

2 x 1/2" nut x 400mm flexipipe connections

MOUNTING Deck Mounted

WASTE With Pop-up Waste

DECK HOLE DRILL DIAMETER

35mm

HANDLES

Single Lever

WITH WATER FLOW AERATOR

Yes

MAXIMUM OPERATING PRESSURE 5.0 Bar HP

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: VALA PRODUCT CODE: AX-VAL-110-CP

MINIMUM OPERATING PRESSURE

0.2 Bar LP

RECOMMENDED FLOW REGULATOR

4.5 l/m dual core flow regulator fitted as standard

SPARE PARTS Ceramic Cartridge W-003-N35

FINISH Chrome

Chrome

COLLECTION NAME

Vala

GUARANTEE

10 Year Guarantee


tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: VALA PRODUCT CODE: AX-VAL-110-CP



tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

