
## SPECIFICATION SHEET

COLLECTION: VALA

PRODUCT CODE: AX-VAL-130+K-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

#### TAP TYPE

Bath Shower Mixer

#### PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

#### HANDLES

2 Handle

#### HOLES

2 Hole

#### MOUNTING

Deck Mounted

#### WITH INTEGRATED DIVERTER

No

#### WITH EASY-FIT BRACKETS

No

#### WITH SHOWER KIT

Yes

#### WITH THERMOSTATIC TECHNOLOGY

No

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



### SPECIFICATION SHEET

COLLECTION: VALA

PRODUCT CODE: AX-VAL-130+K-CP

#### FOR USE WITH BATH FILLER WASTE AND OVERFLOW

Νo

#### MINIMUM OPERATING PRESSURE

0.2 Bar LP

#### MAXIMUM OPERATING PRESSURE

5.0 Bar HP

#### WITH BATH SPOUT

No

#### WITH AIR-INJECTION TECHNOLOGY

#### WITH WATER FLOW STRAIGHTENER

Yes

#### WITH WATER FLOW AERATOR

#### **INSTALLATION TOLERANCES**

min-max deck mount 28-30mm

#### **CONNECTIONS / FITTINGS**

2 x 3/4" male threaded connections

#### DECK HOLE DRILL DIAMETER


28-30mm

#### SPARE PARTS

Cold Ceramic cartridge H-301-RTC Hot Ceramic cartridge H-301-LTC

#### FINISH

Chrome





# SPECIFICATION SHEET

COLLECTION: VALA

PRODUCT CODE: AX-VAL-130+K-CP

**COLLECTION NAME** 

Vala

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com

www.vado.com






## TECHNICAL DRAWING

COLLECTION: VALA

PRODUCT CODE: AX-VAL-130+K-CP





www.vado.com



