
SPECIFICATION SHEET

COLLECTION: MATRIX

PRODUCT CODE: AX-MAT-106/CL-CP





The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Pillar Tap

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

MOUNTING

Deck Mounted

DECK HOLE DRILL DIAMETER

22mm

HANDLES

Single Lever

WITH WATER FLOW STRAIGHTENER

No

COLLECTION NAME

Matrix

FINISH

Chrome

RECOMMENDED FLOW REGULATOR

FR-106/4-PLA

tel: 01934 744466 email: sales@vado.com

www.vado.com

WHERE INSPIRATION FLOWS



SPECIFICATION SHEET

COLLECTION: MATRIX

PRODUCT CODE: AX-MAT-106/CL-CP

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

10 Year Guarantee

tel: 01934 744466 email: sales@vado.com www.vado.com


do.com WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: MATRIX

PRODUCT CODE: AX-MAT-106/CL-CP



tel: 01934 744466 email: sales@vado.com

www.vado.com



